

L Number	Hits	Search Text	DB	Time stamp
21	190	calibrat\$3 adj1 slide	USPAT; US-PGPUB	2003/12/04 13:13
22	166	((calibrat\$3 adj1 slide) and (@ad<=20000127 or @rlad<=20000127))	USPAT; US-PGPUB	2003/12/04 13:16
23	124	((calibration adj1 slide) and (@ad<=20000127 or @rlad<=20000127))	USPAT; US-PGPUB	2003/12/04 13:23
24	7	((calibration adj1 slide) with (mov\$3 or shift\$3 or advanc\$3 or travers\$3)) and (@ad<=20000127 or @rlad<=20000127))	USPAT; US-PGPUB	2003/12/04 14:13
25	38	((substrate adj1 slide) with (mov\$3 or shift\$3 or advanc\$3 or travers\$3)) and (@ad<=20000127 or @rlad<=20000127))	USPAT; US-PGPUB	2003/12/04 14:15
27	38	((("substrate slide") with (mov\$3 or shift\$3 or advanc\$3 or travers\$3)) and (@ad<=20000127 or @rlad<=20000127))	USPAT; US-PGPUB	2003/12/04 14:55

Text search in East looking for the idea
of a calibration slide or a substrate slide

L Number	Hits	Search Text	DB	Time stamp
10	1	"5778044".PN.	USPAT	2003/12/04 09:19
11	10	5778044.URPN.	USPAT	2003/12/04 09:19
14	16	((flat adj1 field) near3 calibrat\$3)	USPAT	2003/12/04 11:23

text search in East to see if the idea of "flat-field calibration" is a common term of the art.

L Number	Hits	Search Text	DB	Time stamp
10	1	"5778044".PN.	USPAT	2003/12/04 09:19
11	10	5778044.URPN.	USPAT	2003/12/04 09:19

Backward + Forward citation on one of the 105
patents.